



Software Package for MXview One Series (Windows version) Release Notes

| | |
|-----------------------------------|------------------------|
| Version: v1.3.0 | Build: 24011718 |
| Release Date: Jan 31, 2024 | |

Applicable Products

AWK-1131A Series, AWK-1137C Series, AWK-1151C Series, AWK-3131A Series, AWK-3131A-RTG Series, AWK-3252A Series, AWK-4131A Series, AWK-4252A Series, DA-681C Series, DA-682C Series, DA-720 Series, DA-820C Series, EDR-8010 Series, EDR-810 Series, EDR-G9010 Series, EDR-G902 Series, EDR-G903 Series, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDS-405A Series, EDS-408A Series, EDS-505A Series, EDS-508A Series, EDS-510A Series, EDS-510E Series, EDS-516A Series, EDS-518A Series, EDS-518E Series, EDS-528E Series, EDS-608 Series, EDS-611 Series, EDS-616 Series, EDS-619 Series, EDS-G4008 Series, EDS-G4012 Series, EDS-G4014 Series, EDS-G508E Series, EDS-G509 Series, EDS-G512E Series, EDS-G516E Series, EDS-P506E Series, EDS-P510 Series, EDS-P510A Series, EOM-104 Series, ICS-G7526A Series, ICS-G7528A Series, ICS-G7748A Series, ICS-G7750A Series, ICS-G7752A Series, IKS-6726A Series, IKS-6728A Series, IKS-G6524A Series, IKS-G6824A Series, ioLogik E2200 Series, ioThinX 4510 Series, MC-7400 Series, MDS-G4012 Series, MDS-G4012-L3 Series, MDS-G4020 Series, MDS-G4020-L3 Series, MDS-G4028 Series, MDS-G4028-L3 Series, MGate 5101-PBM-MN Series, MGate 5102-PBM-PN Series, MGate 5103 Series, MGate 5105-MB-EIP Series, MGate 5109 Series, MGate 5111 Series, MGate 5114 Series, MGate 5118 Series, MGate 5119 Series, MGate 5217 Series, MGate MB3170/MB3270 Series, MGate MB3180/MB3280/MB3480 Series, MGate MB3660 Series, NPort 5000AI-M12 Series, NPort 5100 Series, NPort 5100A Series, NPort 5200 Series, NPort 5200A Series, NPort 5400 Series, NPort 5600 Series, NPort 6100/6200 Series, NPort 6400/6600 Series, NPort IA5000 Series, NPort IA5000A Series, NPort P5150A Series, NPort S8000 Series, OnCell G4302-LTE4 Series, PT-508 Series, PT-510 Series, PT-7528 Series, PT-G503 Series, PT-G510 Series, PT-G7728 Series, PT-G7828 Series, RKS-G4028 Series, SDS-3008 Series, SDS-3016 Series, TAP-213 Series, TAP-323 Series, TN-4500A Series, TN-4900 Series, TN-5500A Series, TN-G4500 Series, TN-G6500 Series, UC-1200A Series, UC-2100 Series, UC-2200A Series, UC-8200 Series, V2406C Series, VPort P06-1MP-M12 Series, WAC-1001 Series

Supported Operating Systems

Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022

New Features

- Added support for the Device Management function, which includes Device Configuration, Device Control, and Cybersecurity Controls. These functions allow users to easily perform certain actions on multiple devices at once using quick access buttons.
- Added support for the Run Script function, which allows users to execute CLI command scripts on multiple devices at once.
- Added support for the Firmware Management function. This function allows users to check for the latest firmware, view release notes, and upgrade firmware for multiple devices at once.
- Added support for third-party SNMP device plug-ins. Users can create SNMP device plug-ins to show and monitor third-party device information in MXview One.
- Added support for additional devices: EDR-8010 Series, UC-1222A Series, UC-2222A Series, UC-8200 Series with Moxa Industrial Linux 3 (MIL 3).

Enhancements

- The interface now shows SFP information for EDS-4000/G4000 Series (fw v4.0 or later) and PT-7728-PTP Series devices.
- The Upgrade Firmware function now accepts the following additional file formats: .rom, .tar, .gz.



- Modified the Compare Configurations page layout for improved clarity.
- The module and port number for modular switches will now show in the Topology.
- Added the "Ungrouping" function to dissolve a group.
- [MXview Power] Improved how IEDs are displayed in the topology. After executing the Auto Topology function, MXview One will automatically group the IEDs within the same HSR ring into an IED Group and represent the HSR link with a purple line.
- [MXview Power] Added the "Grouping" function to allow users to select multiple IEDs on the topology and combine them into an IED Group.
- [MXview Power] Improved the "Add Link" function by allowing users to set the port number in non-numerical mode on the IED side.
- [MXview Power] Improved the "Refresh" function by allowing users to select and retrieve the latest information for multiple IEDs at once.

Bugs Fixed

- Upgrading firmware for EDS-4000/G4000 Series devices would fail.
- When simultaneously selecting and dragging a group and individual devices in the Topology, the group does not move.
- IPsec information does not show correctly for TN-4900 Series devices.

Changes

N/A

Notes

- For a complete list of products supported by MXview One (including legacy and EOL products), please refer to the MXview One datasheet.



| | |
|-----------------------------------|------------------------|
| Version: v1.2.0 | Build: 23072001 |
| Release Date: Jul 31, 2023 | |

Applicable Products

AWK-1131A Series, AWK-1137C Series, AWK-1151C Series, AWK-3131A Series, AWK-3131A-RTG Series, AWK-3252A Series, AWK-4131A Series, AWK-4252A Series, DA-681C Series, DA-682C Series, DA-720 Series, DA-820C Series, EDR-810 Series, EDR-G9010 Series, EDR-G902 Series, EDR-G903 Series, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDS-405A Series, EDS-408A Series, EDS-505A Series, EDS-508A Series, EDS-510A Series, EDS-510E Series, EDS-516A Series, EDS-518A Series, EDS-518E Series, EDS-528E Series, EDS-608 Series, EDS-611 Series, EDS-616 Series, EDS-619 Series, EDS-G4008 Series, EDS-G4012 Series, EDS-G4014 Series, EDS-G508E Series, EDS-G509 Series, EDS-G512E Series, EDS-G516E Series, EDS-P506E Series, EDS-P510 Series, EDS-P510A Series, EOM-104 Series, ICS-G7526A Series, ICS-G7528A Series, ICS-G7748A Series, ICS-G7750A Series, ICS-G7752A Series, IEX-402 Series, IKS-6726A Series, IKS-6728A Series, IKS-G6524A Series, IKS-G6824A Series, ioLogik E2200 Series, ioThinX 4510 Series, MC-7400 Series, MDS-G4012 Series, MDS-G4012-L3 Series, MDS-G4020 Series, MDS-G4020-L3 Series, MDS-G4028 Series, MDS-G4028-L3 Series, MGate 5101-PBM-MN Series, MGate 5102-PBM-PN Series, MGate 5103 Series, MGate 5105-MB-EIP Series, MGate 5109 Series, MGate 5111 Series, MGate 5114 Series, MGate 5118 Series, MGate 5119 Series, MGate 5217 Series, MGate MB3170/MB3270 Series, MGate MB3180/MB3280/MB3480 Series, MGate MB3660 Series, NPort 5000AI-M12 Series, NPort 5100 Series, NPort 5100A Series, NPort 5200 Series, NPort 5200A Series, NPort 5400 Series, NPort 5600 Series, NPort 6100/6200 Series, NPort 6400/6600 Series, NPort IA5000 Series, NPort IA5000A Series, NPort P5150A Series, NPort S8000 Series, OnCell G4302-LTE4 Series, PT-508 Series, PT-510 Series, PT-7528 Series, PT-7710 Series, PT-7728 Series, PT-7828 Series, PT-G503 Series, PT-G7728 Series, PT-G7828 Series, RKS-G4028 Series, SDS-3008 Series, SDS-3016 Series, TAP-213 Series, TAP-323 Series, TN-4500A Series, TN-4900 Series, TN-5500A Series, TN-G4500 Series, UC-2100 Series, V2406C Series, VPort P06-1MP-M12 Series, WAC-1001

Supported Operating Systems

Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022

New Features

- Added support for MXview One Central Manager, a centralized platform to manage multiple MXview One sites.
- Added support for Certificates to Control Panel. This function allows users to view certificate information and import new certificates.
- Added support for Modbus device recognition.
- Added support for additional languages to Control Panel.
- Added support for additional devices: AWK-1151C Series, AWK-3252A Series, AWK-4252A Series, OnCell G4302-LTE4 Series, PT-G510 Series.

Enhancements

- Improved the topology display to show connected mirror ports of a switch.
- Added the EULA agreement.
- Extended the duration of trial licenses to 90 days.
- Added the Strict Link Verification Mode option for Auto Topology.
- Added the “All Groups” filter option for Event History.
- Added the “Model” column to the device list table.

Bugs Fixed

- Local SNMP settings on the device are overwritten by global SNMP settings.
- The Port Traffic graph data does not display correctly when moving the mouse away from the chart.



- The dual homing blocking path does not display correctly.
- Language inconsistencies for Japanese localization.
- The topology does not display correctly when set to the Elbow Line style.

Changes

N/A

Notes

N/A



| | |
|-----------------------------------|------------------------|
| Version: v1.1.0 | Build: 23010316 |
| Release Date: Feb 08, 2023 | |

Applicable Products

AWK-1131A Series, AWK-1137C Series, AWK-3131A Series, AWK-3131A-RTG Series, AWK-4131A Series, DA-681C Series, DA-682C Series, DA-720 Series, DA-820C Series, EDR-810 Series, EDR-G9010 Series, EDR-G902 Series, EDR-G903 Series, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDS-405A Series, EDS-408A Series, EDS-505A Series, EDS-508A Series, EDS-510A Series, EDS-510E Series, EDS-516A Series, EDS-518A Series, EDS-518E Series, EDS-528E Series, EDS-608 Series, EDS-611 Series, EDS-616 Series, EDS-619 Series, EDS-G4008 Series, EDS-G4012 Series, EDS-G4014 Series, EDS-G508E Series, EDS-G509 Series, EDS-G512E Series, EDS-G516E Series, EDS-P506E Series, EDS-P510 Series, EDS-P510A Series, EOM-104 Series, ICS-G7526A Series, ICS-G7528A Series, ICS-G7748A Series, ICS-G7750A Series, ICS-G7752A Series, IEX-402 Series, IKS-6726A Series, IKS-6728A Series, IKS-G6524A Series, IKS-G6824A Series, ioLogik E2200 Series, ioThinX 4510 Series, MC-7400 Series, MDS-G4012 Series, MDS-G4012-4XGS Series, MDS-G4012-L3 Series, MDS-G4012-L3-4XGS Series, MDS-G4020 Series, MDS-G4020-4XGS Series, MDS-G4020-L3 Series, MDS-G4020-L3-4XGS Series, MDS-G4028 Series, MDS-G4028-4XGS Series, MDS-G4028-L3 Series, MDS-G4028-L3-4XGS Series, MGate 5101-PBM-MN Series, MGate 5102-PBM-PN Series, MGate 5103 Series, MGate 5105-MB-EIP Series, MGate 5109 Series, MGate 5111 Series, MGate 5114 Series, MGate 5118 Series, MGate 5119 Series, MGate 5217 Series, MGate MB3170/MB3270 Series, MGate MB3180/MB3280/MB3480 Series, MGate MB3660 Series, NPort 5000AI-M12 Series, NPort 5100 Series, NPort 5100A Series, NPort 5200 Series, NPort 5200A Series, NPort 5400 Series, NPort 5600 Series, NPort 6100/6200 Series, NPort 6400/6600 Series, NPort IA5000 Series, NPort IA5000A Series, NPort P5150A Series, NPort S8000 Series, PT-508 Series, PT-510 Series, PT-7528 Series, PT-7710 Series, PT-7728 Series, PT-7828 Series, PT-G503 Series, PT-G7728 Series, PT-G7828 Series, RKS-G4028 Series, TAP-213 Series, TAP-323 Series, TN-4500A Series, TN-4900 Series, TN-5500A Series, TN-G4500 Series, TN-G6500 Series, UC-2100 Series, V2406C Series, VPort P06-1MP-M12 Series, WAC-1001 Series

Supported Operating Systems

Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022

New Features

- Added support for DB Backup & Restore in the Control Panel. This function allows users to back up or restore the MXview One database.
- Added support for Plug-in Manager in the Control Panel. This function allows users to upload plug-in files to add support for new Moxa products that are not yet supported by the current version of MXview One. Note: Plug-in files can be downloaded from the MXview One product page.

Enhancements

- Improved the accuracy of the Auto Topology function.

Bugs Fixed

- Email notifications are sent twice, or not sent when a configured notification action is triggered.

Changes

N/A

Notes

N/A



| | |
|-----------------------------------|------------------------|
| Version: v1.0 | Build: 22080116 |
| Release Date: Aug 01, 2022 | |

Applicable Products

AWK-1121/1127/1131A/1137C/3121/3131/3131A/3131A-M12-RTG/4121/4131/4131A Series, DA681C/682C/720/820C Series, EDR-G902 Series, EDR-G903 Series, EDR-810 Series, EDR-G9010 Series, EDS-405A/408A Series, EDS-405A/408A-EIP Series, EDS-405A/408A-PN Series, EDS-405A-PTP Series, EDS-505A/508A/516A Series, EDS-510A Series, EDS-518A Series, EDS-510E/518E Series, EDS-528E Series, EDS-G508E/G512E/G516E Series, EDS-G512E-8PoE Series, EDS-608/611/616/619 Series, EDS-728 Series, EDS-828 Series, EDS-G509 Series, EDS-P510 Series, EDS-P510A-8PoE Series, EDS-P506A-4PoE Series, EDS-P506 Series, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDSG4008 Series, EDS-G4012 Series, EDS-G4014 Series, EOM-104/104-FO Series, ICS-G7526/G7528 Series, ICS-G7826/G7828 Series, ICS-G7748/G7750/G7752 Series, ICS-G7848/G7850/G7852 Series, ICS-G7526A/G7528A Series, ICS-G7826A/G7828A Series, ICS-G7748A/G7750A/G7752A Series, ICS-G7848A/G7850A/G7852A Series, IEX-402-SHDSL Series, IEX-402-VDSL2 Series, IEX-408E-2VDSL2 Series, IKS-6726/6728 Series, IKS-6524/6526 Series, IKS-G6524/G6824 Series, IKS-6728-8PoE Series, IKS-6726A/6728A Series, IKS-G6524A Series, IKS-G6824A Series, IKS-6728A-8PoE Series, ioLogik E2200 Series, ioLogik W5312 Series, ioLogik W5340 Series, ioThinX 4510 Series, MC-7400 Series, MDS-G4012 Series, MDS-G4020 Series, MDS-G4028 Series, MDS-G4012-L3 Series, MDS-G4020-L3 Series, MDS-G4028-L3 Series, MGate MB3170/MB3270 Series, MGate MB3180 Series, MGate MB3280 Series, MGate MB3480 Series, MGate MB3660 Series, MGate 5101-PBM-MN Series, MGate 5102-PBM-PN Series, MGate 5103 Series, MGate 5105-MB-EIP Series, MGate 5109 Series, MGate 5111 Series, MGate 5114 Series, MGate 5118 Series, MGate 5119 Series, MGate W5108/W5208 Series, MGate 5217I Series, NPort S8000 Series, NPort 5100 Series, NPort 5200 Series, NPort 5100A Series, NPort P5150A Series, NPort 5200A Series, NPort 5400 Series, NPort 5600 Series, NPort 5610-8-DT/5610-8-DT-J/5650-8-DT/5650I-8-DT/5650-8-DT-J, NPort 5610-8-DTL/5650-8-DTL/5650I-8-DTL, NPort IA5000 Series, NPort IA5000A Series, NPort 6000 Series, NPort 5000AI-M12 Series, PT-7528 Series, PT-7710 Series, PT-7728 Series, PT-7828 Series, PT-G7509 Series, PT-508/510 Series, PT-G503-PHR-PTP Series, PT-G7728 Series, PT-G7828 Series, RKS-G4000 Series, SDS-3008 Series, SDS-3016 Series, TAP-213 Series, TAP-323 Series, TAP-6226 Series, TN-4908 non-PoE Series, TN-4908/4916 PoE Series, TN-4500A Series, TN-G4500 Series, TN-G6500 Series, TN-5500A Series, UC-2100 Series, UC-2100-W Series, V2406C Series, VPort 26A-1MP Series, VPort 36-1MP Series, VPort P06-1MP-M12 Series, WAC-1001 Series, WAC-2004 Series

Supported Operating Systems

Windows 10, Windows 11, Windows Server 2016, Windows Server 2019, Windows Server 2022

New Features

- First release.

Enhancements

N/A

Bugs Fixed

N/A

Changes

N/A

Notes

- Due to a minor modification, an updated version of the v1.0 software was uploaded. If you are using an older version (build code 22072200, downloaded before Aug 1st, 2022), please download the latest version (build code 22080116).